AUTHOR INDEX

Abdel-Aziz #809
Aleem, F.A. #651
Allen, J.G. #133
Ambrus, G. #623
Aresi, V. #383

Babcock, John C. #567
Balin, Arthur K. #199
Beale, R.N. #429
Birmingham, M.K. #457
Bloch, E. #589
Bongiovanni, A.M. #227
Boon, D.A. #559
Brooks, C.J.W. #133
Brooksbank, B.W.L. # 29
Buki, K.G. #623
Burstein, S.H. #399

Campbell, J. Allen #567
Cara, J. #519
Chang, C.C. # 21
Colas, A.E. #793
Collins, D.C. #783
Conney, A.H. #155
Coxon, J.M. # 51
Croft, D. #429
Cronholm, #671
Cunningham, Ann E. # 29

Dehennin, L.A. #739
Demeester, G. #101
De Nicola, A.F. #457
De Sombre, E.R. #417
Dixon, Ross #529
Doellgast, George #179

Eberlein, W.R. #227
Eechaute, W. #101
Elce, J.S. #711
Emmens, C.W. #725

Fisher, A. # 51
Findlay, J.K. #763
Forsham, Peter H. # 83
Frankland, M.V. #835
Frick, J. #495
Frick, J. # 21

Ghosh, P.C. #247
Girijavallabhan, V.M. # 11
Goldzieher, J.W. #467
Gupta, K.C. #343

Hagerman, Dwain D. #483
Hahnel, R. #693
Hartshorn, M.P. # 51
Hobkirk, R. #679
Hochberg, R.B. #477
Hutchins, R.F.N. #605

Igarashi, K. #627
Inano, H. #357

Jacobson, M. #327
Janne, O. #121
Janoski, Alfonso H. #179
Jellinck, P.H. #711
Jensen, E.V. #417
Jones, H.A. #693

Kaplanis, J.N. #605
Keeler, Richard F. #579
Kelly, R.W. #507
Kelly, William G. #179
Kincl, F.A. # 21
Kincl, F.A. #495
Kirdani Rashad Y. #257
Knapstein, PAul #199
Knights, B.A. #133
Korenman, S.G. #163
Kulkarni, B.D. #467
Kuntzman, R. #327

Laatikainen, T. #615
Laatikainen, T. #121
Layne, D.S. #783
Leusen, I. #101
Levin, W. #155
Lewis, A.J. # 51
Li, R.T. #451
Linton, M.E. #483
Loriaux, D. Lynn #143

Machino, A. #357
Maeda, Renju # 83
Maeyama, M. # 59

Martin, L. # 1
Mason, M. #213
Mathur, R.S. #637
Matuoka, H. # 59
Mickan, H. #427
Midgley, A.R. Jr. #731
Miller B.G. #725
Mori, Y. #627
M ueller, J.R. #773
Muir, G.G. #719

Nakagawa, T. # 59
Nathansohn, G. #383
Nathansohn, G. #365
Neill, D.W. #651
Neville, A.M. #821
Nilsen, M. #679
Niswender, G.D. #731
Noall, M.W. #143
Numata, M. #417

Okamoto,Masatoshi # 83
Osborn, R.H. #773

Pasqualucci, C.R. #365
Payne, A.H. #213
Pennington, G.W. #529
Pennington, G.W. #247
Peron, F.G. #399
Petersen, L.P. #793
Pinkerton, J.H, #651
Pradhan, S.K. # 11

Radaelli, P. #365
Ram, J. Sri, #731
Richards, K.E. # 51
Rosenfeld, R.L. #227
Rudd, B.T. #227
Ryan, #719

Sa'at, Y.A. #545
Sandberg, A. #257
Sato, Y. #451
Scheuer, P.J. #343
Schiatti, P. #365
Scholler, R. #739
Seamark,R.F. #763

Selva, D. #365
Selye, H. #803
Shutt, D.A. # 69
Simmer, Hans H. #835
Sjovall, J. #671
Sjovall, K. #671
Slaunwhite, Jr. W.R. #257
Slaunwhite, Jr. W.R. #559
Slaunwhite, Jr. W.R. #545
Smith, S. #417
Squires, D.M. #567
Suzuki, T. #417
Symington, T. #821

Takeda, K. #627
Tamaoki, B. #357
Taylor R.F. #429
Terenius , L. #311
Thomas, G.H. #133
Traikov, H. #457
Touchstone, J.C. #199
Tuchida, Y. # 59

Vainio, J. #121
Vihko, R. #121
Vihko, R. #615

UaCOnnell, #719

Wagner, N. #559
Watanabe, H. #189
Webb, J.L. #821
Wegienka L.C. # 83
Welch, R.M. #155
Williams, K.L. #483
Williams, K.I.H. #539
Williams, K.I.H. #809
Williamson, E. #399
Wilson, D.A. # 29
Winters, G. #365
Winters, G. #383

Yannone, M.E. #773

VOLUME 13

SUBJECT INDEX

N-Acetylglucosamine
conjugation of estrogens with, in rabbit, 783
Adrenal enzymes in agranular microsomes, 357
Adrenal tumors
in vitro metabolism of androst-5-en-3β-ol-17-one by, 821
Adrenocortical carcinoma
urinary pregn-5-en-3β,16α-diol-20-one and pregn-5-en-3β,16α,20α-triol, 519
with episodes of hypoglycemia isolation and identification of pregn-5-en-3β, 16α-diol-20-one in urine from a patient with, 519
Adrenocorticotropin (ACTH-Z)
effect of, on urinary excretion of estrogens in pregnancy, 59
Adrenosterone
see androst-4-ene-3,11,17-trione
Agranular microsomes and adrenal enzyme activities, 357
Alcohol
effect on plasma steroid sulfates in pregnancy; ethanol induced increase of the ratio between hydroxy- and ketosteroids in human pregnancy plasma, 671
Aldosterone
paper chromatography of, 83
Aldosterone synthesis
inhibition by reduced metopirone, 457
Alkaloids
teratogenic compounds of veratrum californicum (durand) VII; the structure of the glycosidic alkaloid cycloposine, 579

NOTE TO READERS:

(1) nor- and dinor- compounds are alphabetized under the parent name; e.g., 19-nortestosterone is listed under "t" with the rest of the name determining the alphabetical position.

(2) A methyl ester is listed under the parent name; e.g., methyl 5-etianoate is listed under "e."

(3) Compounds are named with the basic steroid system given first; e.g., 5α-androstane-2β-methyl-3-one rather than 2β-methyl-5α-androstan-3-one.

Amniotic fluid
estimation of estriol in, 651
Androsta-1,4-diene-3,17-dione
from degradation of diosgenin by mycobacterium phle 1, 623
in kober reaction, 693
Androsta-1,4-diene-3,11,17-trione
GLC of, 429
Androsta-1,4-diene-6α-methyl-3,11,17-trione, 163
Androsta-1,4-diene-7α,17α-dimethyl-17β-ol-3-one, 163
Androsta-1,4,6-triene-3,17-dione
in kober reaction, 693
Androsta-3,5-diene-3,17β-bis (heptafluorobutyrate)
preparation and physical constants, 739
Androsta-3,5-diene-3-heptafluorobutoxy-17-one
preparation and physical constants, 739
Androsta-5,16-diene-3β,17,19-triacetate, 793
Androsta-4,16-dien-3-one
in peripheral plasma of adult men, 29
methyl oxime, 29
reduction with sodium borohydride, 29
enol heptafluorobutyrate, 29
5α-Androstane-3α,17β-diol
displacement of testosterone from binding protein, 83
in displacement of plasma bound testosterone, 495
5α-Androstane-3α,11β-diol-17-one
GLC of, 429
5α-Androstane-3α,18-diol-17-one
identification of, in bile, 615
5α-Androstan-3α-ol-17-one
GLC of, 429
in displacement of plasma bound testosterone, 495
5α-Androstan-3α-ol-11,17-dione
GLC of, 429
5α-Androstan-3β-ol-17-one
gas-liquid chromatography - mass spectrometry, 121
Methyl 5α-androstane-3,6-dione-17β-carboxylate, bis-o-methyloxime
mass spectrometry and gas-liquid chromatography of, 133
5α-Androstane-3,6,17-trione, tris-o-methyloxime
mass spectrometry and gas-liquid chromatography of, 133
5α-Androstane-5-bromo-3β,6β-diol-17-one
action of Pb $(OAc)_4$-I_2 and light on, 793
5α-Androstane-5-bromo-6β,19-epoxy-3β-ol-17-one 3-acetate
zinc and acetic acid on, 793
D-Homo-5α-androstane-17aα-chloro-17α-methyl-3β-ol, 3-acetate, 429

D-Homo-5α-androstane-17aβ-chloro-17α-methyl-3β-ol, 3-acetate, 429
5α-Androstan-17β-ol-3-one
in displacement of plasma bound testosterone, 495
5β-Androstane-3α,17β-diol
displacement of testosterone from binding protein, 83
A-Norandrostane-3-methylene-5β,17β-diol, 11
A-Norandrostane-3α-methyl-3β,5β,17β-triol, 11
5β-Androstane-3α,11β-diol-17-one
GLC of, 429
5β-Androstan-3α-ol-17-one
GLC of, 429
gas-liquid chromatography - mass spectrometry, 121
paper chromatography of displacement of testosterone from binding protein, 83
5β-Androstan-3α-ol-17-one-3-sulfate
column partition chromatography of, as triethylammonium salt, 477
5β-Androstan-3β-ol-17-one
in displacement of plasma bound testosterone, 495
5β-Androstan-3α-ol-11,17-dione
GLC of, 429
5β-Androstane-3,6,17-trione, tris-o-methyloxime
mass spectrometry and gas-liquid chromatography of, 133
4,5-Secoandrostan-3-yn-17β-ol-5-one, 11
Androstenedione
see androst-4-ene-3,17-dione
Androst-4-ene-3,17-dione
attempt to quantize, 199
formation of, by human adrenal tumors, 821
from degradation of diosgenin by mycobacterium phle 1, 623
identification in human cord plasma at term, 835
in displacement of plasma bound testosterone, 495
paper chromatography of displacement of testosterone from binding protein, 83
Androst-4-ene-3,11,17-trione
displacement of testosterone from binding protein, 83
GLC of, 429
Androst-4-ene-11β,17β-diol-3-one
paper chromatography of displacement of testosterone from binding protein, 83
Androst-4-en-11β-ol-3,17-dione
from metabolism of progesterone and pregn-5-en-3β-ol-20-one by fetal guinea pig, 589
paper chromatography of displacement of testosterone from binding protein, 83

Androst-4-ene-16α,17β-diol-3-one (16α-hydroxytestosterone)
tentative identification in human cord plasma at term, 835
Androst-4-en-16α-ol-3,17-dione
tentative identification in cord human plasma at term, 835
Androst-4-ene-17α-methyl-17β-ol-3,11-dione, 163
Androst-4-en-17α-ol-3-one
paper chromatography of displacement of testosterone from binding protein, 83
Androst-4-en-17β-ol-3-one
effect on seminal vesicles and inhibition by phenobarbital treatment, 155
19-Norandrost-4-en-17β-ol-3-one
in displacement of plasma bound testosterone, 495
Androst-4-en-17β-propionate-3-one
effect on seminal vesicles and inhibition by phenobarbital and chlordane treatment, 155
Androst-5-en-3β-acetoxy-16α-(2-acetoxyethyl)-17-one
also the free diol, 627
Androst-5-ene-3β,16α-diol-17-one-3-sulfate
column partition chromatography of, as triethylammonium salt, 477
Androst-5-ene-3β,17β-diol
binding affinity, rabbit uterine cytosol, 163
Androst-5-ene-3β,17β-diol
in displacement of plasma bound testosterone, 495
Androst-5-ene-3β,17B-diol
in human plasma, effect of ethanol on, 671
Androst-5-ene-3β,17β-diol-3-sulfate
column partition chromatography of, as triethylammonium salt, 477
Androst-5-ene-3β,19-diol-17-one
16α-hydroxylation of, 793
Androst-5-ene-3β,19-diol-17-one
3,19-diacetate, 793
Androst-5-ene-3β,16α,19-triol-17-one
synthesis of, 793
Androst-5-ene-3β,16α,19-triol-17-one,17-dimethylketal, 793
Androst-5-en-3α-ol-17-one
identification of, in plasma, urine, and bile, 121
Androst-5-en-3β-ol-17-one
GLC of, 429
gas-liquid chromatography - mass spectrometry, 121
metabolism of, by human adrenal tumors, 821
paper chromatography of, 83
displacement of testosterone from binding protein, 83
Androst-5-en-3β-ol-17-one 3-acetate
N-bromoacetamide action on, 793

Androst-5-en-3β-ol-17-one-3-sulfate
column partition chromatography of, as triethylammonium salt, 477
conversion to testosterone glucuronide, in vivo, 143
Androst-5-en-3β-ol-7,17-dione
formation of, by human adrenal tumors, 821
Androst-5-ene-16α-bromo-3β,19-diol-17-one 3,19-diacetate, 793
Androst-5-en-17β-ol,3β[(tetrahydropyron-2-yl)oxy], 163
Androst-5-en-17-one-4-^{14}C, metabolism of, in rabbit ovaries, 213
Androst-5-en-17-one-3β-yl sulfate-7-^{3}H, metabolism of, in rabbit ovaries, 213
Androstenolone
see androst-5-en-3β-ol-17-one
Androsterone
gas-liquid chromatography - mass spectrometry, 121
paper chromatography of displacement of testosterone from binding protein, 83
Androsterone-3-sulfate
column partition chromatography of, as triethylammonium salt, 477
Anencephalic fetus
ACTH effect on the urinary estrogens in pregnancy, 59
Anti-estrogenic activity
of dimethylstilbestrol and estra-1,3,5(10)-triene-3,17β-diol-16-one, 1
Antiestrogens, estrogens, and proestrogens, 725
Antiinflammatory activity
of a new series of[17α,16α-d]-oxazolino analogs of corticosteroids, 365
Antiinflammatory steroids[17α,16α-d]-oxazolino corticoids, pharmacology of, 365
[17α,16α-d]-oxazoline corticoids, synthesis of, 383

Binding affinity of estrogens
relation to estrogenic potency steroidal vs. nonsteroidal estrogens, 163
Blood estriol
use of enzyme hydrolysis in the rapid analysis of blood estrogens, 483
Blood plasma
detection of androsta-4,16-dien-3-one, 29
Bovine adrenal tissue preparations
reactions of 20-hydroxylated steroids with, 399
Brassicasterol
see cholesta-5,22-diene-(24R)-24-methyl-3β-ol

Campesterol
see cholest-5-ene-(24R)-24-methyl-3β-ol
Chloracetylation of 17-oxosteroids
for measurement by gas-liquid chromatography, 429
Chloromethyldimethylsilyl ethers
gas-liquid chromatography of, 29

Methyl 25-homocholа-5,7-dienate, 3β-hydroxy, 3-acetate, 567
Methyl 5α-cholanoate-3,6-dione, bis-o-methyloxime
mass spectrometry and gas-liquid chromatography of, 133
Methyl 5β-cholanoate-3,6-dione, bis-o-methyloxime
mass spectrometry and gas-liquid chromatography of, 133
Methyl 9,10-seco-25-homocholа-5(10),6-cis, 8-trienate, 3β-hydroxy-acetate, 567
Methyl 9,10-seco-25-homocholа-5-cis,7,10(19)-trienate, 3β-hydroxy, acetate, 567
Cholecalciferol, 25-hydroxy
synthesis of, 567
Cholesta-5,7-diene-3β,25-diol, 567
Cholesta-5,22-diene-(24R)-24-methyl-3β-ol
from sterol mixture from palythoa tuberculosa, 343
from sterol mixture from zoanthus confertus, 343
Cholesta-5,24(28)-diene-24-methylen-3β-ol
from palythoa sp. from Tahiti, 343
Cholesta-5,24(28)-diene-24-methylen-3β-ol
from sterol mixture from zoanthus confertus, 343
5α-Cholestane-3β-fluoro-5-ol
NMR Westphalen rearrangement of, 51
5α-Cholestane-3β-fluoro-5,6β-diol
NMR Westphalen rearrangement of, 51
5α-Cholestane-3β-fluoro-5α,6α-epoxide, 51
5α-Cholestane-3β-fluoro-5β,6β-epoxide
NMR of, 51
5α-Cholestan-3β,6β-difluoro-5-ol
NMR Westphalen rearrangement of, 51
5α-Cholestane-3β,6β-difluoro-5-ol, 5-acetate, 51
5α-Cholestane-3β-fluoro-6β-acetoxy-5-ol
NMR Westphalen rearrangement of, 51
5α-Cholestane-3β-fluoro-6β-methoxy-5-ol
NMR Westphalen rearrangement of, 51
5α-Cholestane-3β-fluoro-6β-methoxy-5-ol 5-acetate
NMR and other data, 51
A-Norcholestane-3β-methyl-3α,5α-epoxide, 11
5α-Cholestane-3,6-dione, bis-o-methyloxime
mass spectrometry and gas-liquid chromatography of, 133
A-Norcholestane-3α-bromomethyl-3β,5β-epoxide, 11
A-Norcholestane-3α-iodomethyl-3β,5β-epoxide, 11
A-Norcholestane-3α-methyl-3β,5β-epoxide, 11
A-Norcholestane-3α-methyl-3β,5β-diol, 11
A-Norcholestane-3-methylene-5β-ol, 11
5β-Cholestane-3,6-dione, bis-o-methyl-oxime
mass spectrometry and gas-liquid chromatography of, 133
Cholestan-4β,5β-epoxy-3-one, 11

9,10-Secocholesta-5(10),6-cis,8-triene-3β,25-diol, 567
9,10-Secocholesta-5-cis,7,10(19)-triene-3β,25-diol, 567
19-Nor-5β-cholest-9-ene-5-methyl-3β,6β-difluoride
NMR and other data, 51
19-Nor-5β-cholest-9-ene-5β-methyl-3β-fluor-6β-ol, 6-acetate
NMR and other data, 51
19-Nor-5β-cholest-9-ene-6β-methoxy-5-methyl-3β-fluoride
NMR and other data, 51
A-Norcholest-3-hydroxymethyl-3-ene, 11
A-Norcholest-3-methyl-3-ene, 11
4,5-Secocholest-3-yn-5-one, 11
Cholest-5-ene-3β-fluoride
NMR and other data, 51
NMR epoxidation of, 51
Cholest-5-ene-3,20α-diol
rate of conversion to pregn-5-en-3β-ol-20-one by bovine adrenal tissue, 399
Cholest-5-ene-3β,20α-diol-22d_2
rate of conversion to pregnenolone by bovine adrenal tissue preparations, 399
Cholest-5-ene-3,20,21-triol
rate of conversion to pregn-5-en-3β-ol-20-one by bovine adrenal tissue, 399
Cholest-5-ene-(24R)-24-ethyl-3β-ol (stereochemistry at C_{24} not certain)
from sterolmixture from palythoa tuberculosa, 343
Cholest-5-ene-(24R)-24-ethyl-3β-ol-3-sulfate (β-sitosterol sulfate)
isolation of, from insect sources, 605
Cholest-5-ene-(24R)-24-methyl-3β-ol, 3-sulfate ("campesterol sulfate")
isolation of, from insect sources, 605
Cholest-5-ene-(24S)-24-methyl-3β-ol
from sterol mixture from palythoa tuberculosa, 343
Cholest-5-ene-24-methyl-3β-ol (stereochemistry at C_{24} not certain)
from sterol mixture from zoanthus confertus, 343
Cholesterol
from sterol mixture from palythoa tuberculosa, 343
from sterol mixture from zoanthus confertus, 343
in vitro metabolism of, by human adrenal tumors, 821
Cholesterol-3-sulfate
column partition chromatography of, as triethylammonium salt, 477
isolation of, from insect sources, 605
Cholesterol, 25-hydroxy, 567
Chromatography, column
alumina, of certain estrogens, 559
alumina, of "glucosiduronate" and "sulfate" fractions of urine after enzymatic hydrolysis and solvolysis, 519
celite, of certain corticosteroids, 529
of crude androsta-4,16-dien-3-one, 29

Chromatography, column (continued)
of estrogen metabolites from rabbit, 809
florisil, sterol sulfate fraction from insect meconium, 605
for the separation of estrogen fractions, 101
sephadex, to separate protein-bound estradiol from free estradiol, 69
with silver impregnated florisil of 17α-ethynyl steroids, 467
of steroid sulfates as the triethylammonium salts on celite columns, 477
Chromatography, gas-liquid
of androsta-4,16-dien-3-one and two derivatives, 29
of cortisol, cortisone, and related compounds, 507
coupled with mass spectrometry of androst-5-en-3α-ol-17-one, TMS ether, 121
coupled with mass spectrometry, of cortisol, cortisone, and related compounds, 507
coupled with mass spectrometry, in the determination of C-5 stereochemistry in 3,6-dioxygenated steroids, 133
coupled with mass spectrometry in identification of 5α-androstane-3α, 18-diol-17-one from bile, 615
in the determination of the C-5 stereochemistry of some 3,6-dioxo-steroids, 131
determination of progesterone in peripheral plasma during pregnancy and labor, 773
in the estimation of pregn-4-ene-6β,11β,17α,21-tetrol-3,20-dione in urine, 247
in the identification of sterols from insect meconium, 605
of plasma steroid sulfates, 671
quantitation of steroids in health and disease. Part 2. Quantitative cleavage and rates of hydrolysis of urinary steroid glucosiduronates catalysed by mammaliam liver β-glocuronidase, 429
a sensitive GLC method for the measurement of estriol in amniotic fluid, 651
of steroidal heptafluorobutyrates, 739
study of hydrolysis of urinary steroids glucosiduronates by, 429
Chromatography, paper
of androst-5-en-3β-ol-17-one, androst-5-en-17-one, and rabbit ovary metabolites of the above, 213
of certain corticosteroids, 529
of certain corticosteroids from the metabolism of cholesterol by a human adrenocortical adenoma causing virilism, 821
of estradiol and estrone, 69
of estrogens from sheep, 763
of methylene chloride plasma extract in testosterone determination, 83
for purification of estra-1,3,5(10)-trien-17α-ethynyl-3,17-diol, 467
in purification of testosterone-1,2-^{3}H, 227
relative mobilities of revevant steroids in the cyclohexane: p-dioxane: methanol: water (100:25:100:10) paper system, 83

Chromatography, paper
of the 3-sulfate, 16-mono-glucosiduronate of estriol, 483
testosterone and androst-4-ene-3,17-dione, 835
Chromatography, thin-layer
of androsta-4,16-dien-3-one, 29
of androst-5-en-3β-ol-17-one, androst-5-en-17-one, and rabbit ovary metabolites of the above, 213
of certain corticosteroids, 529
with densitometry, of diazotized estrogens, 199
of estrogen metabolites for rabbit, 809
of estrogens from hen metabolism, 637
in the identification of sterols from insect meconium, 605
in isolation of 5α-androstane-3α,18-diol-17-one from bile, 615
of metabolites of pregn-5-en-3β-ol-20-one and of progesterone, 589
of the 16-monoglucosiduronate of estriol, 483
purification of estriol, 651
in purification of testosterone-4-^{14}C, 227
of sheep estrogens, 763
of some Δ^5-3β-hydroxysteroids and derivatives in three systems, 793
of steroidal heptafluorobutyrates, 739
testosterone and androst-4-ene-3,17-dione, 835
Circular dichroism
of steroidal heptafluorobutyrates, 739
Coelenterate sterols, 343
Competitive antagonism
of non-estrogens [e.g., dimethyl-stilbestrol] with estrogens: vaginal changes, 1
Competitive protein binding
assay method for testosterone in biological fluids, based on, 495
for urinary testosterone, 227
Competitive protein-binding radioassay 17β-estradiol, in plasma, 69
in the determination of plasma testosterone, 83
Complex formation, 55
requirement for a supernatant factor; rat uterine tissue, 417
Corticosteroid analogs
[17α,16α-d] -oxazoline analog: synthesis of, 383
Corticosterone
from metabolism of progesterone and pregn-5-en-3β-ol-20-one by fetal guinea pig, 589
paper chromatography of, 83
synthesis of, in rat adrenals, 457
Cortisol
from metabolism of progesterone and pregn-5-en-3β-ol-20-one by fetal guinea pig, 589

Cortisol (continued)
GLC of, 429
GLC of, 507
in displacement of plasma bound testosterone, 495
paper chromatography of displacement of testosterone from binding protein, 83
Cortisone
GLC of, 429
in displacemtne of plasma bound testosterone, 495
C-Quens^R, 83
L-Cysteine, N-acetyl-S-(2-hydroxy-estradiol)
synthesis of, 711
L-Cysteine, S-(2-hydroxyestradiol)
synthesis of, 711

Dehydroepiandrosterone
see androst-5-en-3β-ol-17-one
Dehydroisoandrosterone
see androst-5-en-3β-ol-17-one
16-Dehydro-C_{19}-steroids in blood, 29
Densitometry of diazotized estrogens, 199
Dexamethasone
pregna-1,4-diene-9α-fluoro-16α-methyl-11β,17α,21-triol-3,20-dione, 83
Diazotization of estrogens, 199
Diethylstilbestrol
binding affinity, rabbit uterine cytosol, 163
Digitalis
blockade by spironolactone, 803
Digitonin separation, 121
22,23-Dihydrobrassicasterol
see cholest-5-ene-(24S)-24-methyl-3β-ol
17α,21-Dihydroxy-20-oxo-steroids
formation of a cyclic derivative with a suitable difunctional silane; for gas-liquid chromatography and mass spectrometry, 507
Dimethyldichlorosilane
in pyridine, as a silating agent, 507
Dimethylmethoxychlorosilane and 1,1,3,3-tetramethyl disilazane
as silating agent, 507
Dimethylstilbestrol
anti-estrogen or estrogen?, 1
Diosgenin
degradation of, by Mycobacterium phlei, 623
3,6-Dioxosteroids
bis-o-methyloxime derivatives, combined gas chromatography - mass spectrometry, 133

Double isotope derivative assay
for urinary testosterone, 227
Double isotope derivative method
use of, 835

3-Enol heptafluorobutyrates, steroidal
physico-chemical properties, 739
Enovid^{R}, 83
Enzyme hydrolysis in blood analysis
use of enzyme hydrolysis in the rapid analysis of blood estrogens, 483
Epitestosterone
see androst-4-en-17α-ol-3-one
Equilenin
see estra-1,3,5(10),6,8-pentaen-3-ol-17-one
Eschenmoser fragmentation of α,β epoxy ketones
in synthesis of some novel A-nor steroids, 11
17α-Estradiol
binding affinity, rabbit uterine cytosol, 163
in hen metabolism, 637
in kober reaction, 693
quantitation of, by diazotization and TLC, 199
17αα-D-Homoestradiol
in vivo conversion from 17α-ethynylestradiol by the rabbit, 809
17α-Estradiol-3-sulfate
in rabbit metabolism, 783
17β-Estradiol
binding affinity, rabbit uterine cytosol, 163
binding to target organs: mouse uterus and vagina, 311
estimation of, in plasma, by competitive protein-binding radioassay, 69
fluorimetric estimation of, from pregnancy urine, 101
in hen metabolism, 637
from human female metabolism, 679
interaction of, with uterine tissue, evidence for a two-stage mechanism, 417
in kober reaction, 693
paper chromatography of displacement of testosterone from binding protein, 83
quantitation of, by diazotization and TLC, 199
radioimmunoassay method, 731
urinary excretion of, in pregnancy, effect of adlenocorticosterone on, 59
17β-Estradiol-3-acetate
binding affinity, rabbit uterine cytosol, 163
17β-Estradiol benzoate (ester position not given)
effect of, on rat testosterone plasma level (neonatal injection), 21
17β-Estradiol-3-methyl ether
binding affinity, rabbit uterine cytosol, 163

17β-Estradiol-17-acetate
binding affinity, rabbit uterine cytosol, 163
17β-Estradiol-17-glucosiduronate, metabolism of
by the human female, 679
17β-Estradiol-dependent affinity of 85 receptor for nuclei
in rat uterine tissue, 417
17β-Estradiol redistribution in uterine tissue
temperature dependency of, 417
Estra-1,3,5(10),6,8-pentaene-3-ol-17-one
binding affintiy, rabbit uterine cytosol, 163
Estra-1,3,5(10),6,8-pentaen-3-ol-17-one
in kober reaction, 693
quantitation of, by diazotization and TLC, 199
Estra-1,3,5(10),6-tetraene-1-methyl-3-ol-17-one
in kober reaction, 693
Estra-1,3,5(10),6-tetraene-1,2-dimethyl-3,17β-diol
in kober reaction, 693
Estra-1,3,5(10),6-tetraen-3-ol-17-one
binding affinity, rabbit uterine cytosol, 163
in kober reaction, 693
Estra-1,3,5(10),7-tetraen-3-ol-17-one
binding affinity, rabbit uterine cytosol, 163
in kober reaction, 693
Estra-1,3,5(10),16-tetraen-3-ol
in kober reaction, 693
Estra-1,3,5(10),16-tetraene-3,17β-diol diacetate
in kober reaction, 693
Estra-1,3,5(10)-triene-1-methyl-3,17β-diol
in kober reaction, 693
Estra-1,3,5(10)-triene-1,2-dimethyl-3,17β-diol
in kober reaction, 693
Estra-1,3,5(10)-triene-1,3-dimethoxy-17-one
in kober reaction, 693
Estra-1,3,5(10)-triene-1,3,4-trimethoxy-17-one
in kober reaction, 693
Estra-1,3,5(10)-triene-2-methoxy-4-methyl-1,17β-diol
in kober reaction, 693
Estra-1,3,5(10)-triene-2-methoxy-4-methyl-17β-ol
in kober reaction, 693
Estra-1,3,5(10)-triene-2-methoxy-4-methyl-17-one
in kober reaction, 693
Estra-1,3,5(10)-triene-2-methyl-3,17β-diol
in kober reaction, 693
Estra-1,3,5(10)-triene-2-methyl-3-ol-17-one
in kober reaction, 693

Estra-1,3,5(10)-triene-2,3-diol-17-one
attempt to quantize, 199
in kober reaction, 693
Estra-1,3,5(10)-triene-2,3-diol-17-one 2-methyl ether, 163
attempt to quantize, 199
Estra-1,3,5(10)-triene-2,17β-diol
in kober reaction, 693
Estra-1,3,5(10)-triene-2,3,4-trimethoxy-17-one
in kober reaction, 693
Estra-1,3,5(10)-triene-2,3,16α,17β-tetrol
in kober reaction, 693
Estra-1,3,5(10)-triene-3-heptafluoro-butoxy-17-one
preparation and physical constants, 739
Estra-1,3,5(10)-trien-3-ol
in kober reaction, 693
Estra-1,3,5(10)-trien-3-ol-16-one
in kober reaction, 693
quantitation of, by diazotization and TLC, 199
Estra-1,3,5(10)-trien-3-ol-16,17-dione
in kober reaction, 693
Estra-1,3,5(10)-triene-3,11β,17β-triol
binding affinity, rabbit uterine cytosol, 163
in kober reaction, 693
Estra-1,3,5(10)-triene-3,11β-diol-17-one
in kober reaction, 693
Estra-1,3,5(10)-triene-3,16α-diol
binding affinity, rabbit uterine cytosol, 163
in kober reaction, 693
quantitation of, by diazotization and TLC, 199
Estra-1,3,5(10)-triene-3,16α-diol-17-one
fluorimetric estimation of, from pregnancy urine, 101
Estra-1,3,5(10)-triene-3,16β-diol
in kober reaction, 693
quantitation of, by diazotization and TLC, 199
Estra-1,3,5(10)-triene-3,16β-diol-17-one
fluorimetric estimation of, from pregnancy urine, 101
Estra-1,3,5(10)-triene-3,16?-diol-17-one
in kober reaction, 693
Estra-1,3,5(10)-triene-3,16α,17α-triol
fluorimetric estimation of, from pregnancy urine, 101
in hen metabolism, 637
in kober reaction, 693
quantitation of, by diazotization and TLC, 199
Estra-1,3,5(10)-triene-3,16β,17α-triol
fluorimetric estimation of, from pregnancy urine, 101

Estra-1,3,5(10)-triene-3,16β,17α-triol (continued)
in hen metabolism, 637
in kober reaction, 693
quantitation of, by diazotization and TLC, 199
Estra-1,3,5(10)-triene-3,16β,17β-triol
binding affinity, rabbit uterine cytosol, 163
fluorimetric estimation of, from pregnancy urine, 101
in hen metabolism, 637
in kober reaction, 693
Estra-1,3,5(10)-triene-3,17β-diol-3β-D-glucopyranosiduronate
biosynthesis of, 545
Estra-1,3,5(10)-triene-3,17β-diol-16-one
anti-estrogen or estrogen?, 1
3,17-diacetate, 163
binding affinity, rabbit uterine cytosol, 163
fluorimetric estimation of, from pregnancy urine, 101
in hen metabolism, 637
in kober reaction, 693
quantitation of, by diazotization and TLC, 199
Estra-1,3,5(10)-triene-3,17β-diol-16-one 3-methyl ether
attempt to quantize, 199
Estra-1,3,5(10)-triene-4-methyl-2,17β-diol
in kober reaction, 693
Estra-1,3,5(10)-triene-4-methyl-17β-ol
in kober reaction, 693
Estra-1,3,5(10)-triene-16α-chlor-3-ol-17-one
in kober reaction, 693
Estra-1,3,5(10)-trien-17α-ethynyl-3,17β-diol
in kober reaction, 693
Estra-1,3,5(10)-trien-17α-ol
in kober reaction, 693
Estra-1,3,5(10)-trien-17β-ol
in kober reaction, 693
Estra-1,3,5(10)-trien-17-one
in kober reaction, 693
Estr-4-ene-3,17-dione
in kober reaction, 693
Estr-4-ene-17α-methyl-17β-ol-3-one, 163
Estr-4-en-17β-ol-3-one, 163
in kober reaction, 693
Estr-5(10)-en-17β-ol-3-one
in kober reaction, 693
Estriol
binding affinity, rabbit uterine cytosol, 163
binding to target organs: mouse uterus and vagina, 311
conjugation by human liver, 559
estimation of, in amniotic fluid, 651

Estriol (continued)
fluorimetric estimation of, from pregnancy urine, 101
in hen metabolism, 637
in kober reaction, 693
paper chromatography of displacement of testosterone from binding protein, 83
quantitation of, by diazotization and TLC, 199
urinary excretion of, in pregnancy, effect of adrenocorticosterone on, 59
Estriol 16-mono glucosiduronate, chemical determination of structure of, 559
Estriol-3,16-diglucosiduronate, metabolism of, 257
Estriol, blood analysis
use of enzyme hydrolysis in the rapid analysis of blood estrogens, 483
Estrogens
kober reaction for, 693
metabolism in sheep fetal blood, 763
method for fractionated estimation in pregnancy urine, 101
synthesis of glutathione and cysteine derivatives, 711
urinary excretion, in pregnancy, effect of adrenocorticosterone on, 59
the use of fluorimetry in the automated assay of Ittrich's total estrogens in the urine of pregnant women, 719
in the uterus, rat, 417
Estrogens, proestrogens and antiestrogens, 725
Estrogen-binding substances of target tissues, 417
Estrogen conjugates
N-acetylglucosaminides of steroid phenolic sulfates, from rabbit, 783
biosynthesis of, from liver homogenates from a number of species, 545
Estrogen metabolism
effects of 17α-ethynyl-19-norsteroids on, in rat liver, 189
Estrogen receptors, 417
Estrogenic activity
of dimethylstilbestrol and estra-1,3,5(10)-triene-3,17β-diol-16-one, 1
Estrogenic potency
relation to comparative binding affinity of estrogens, 163
Estrone
binding affinity, rabbit uterine cytosol, 163
biosynthesis of, 545
fluorimetric estimation of, from pregnancy urine, 101
from human female metabolism, 679
as an inhibitor of estradiol binding to target organs: mouse uterus and vagina, 311
in kober reaction, 693
paper chromatography of displacement of testosterone from binding protein, 83
quantitation of, by diazotization and TLC, 199
urinary excretion, in pregnancy, effect of adrenocorticosterone on, 59

17α-D-Homoestrone, in vivo conversion from 17α-ethynyl-estradiol by the rabbit, 809
Estrone-3-acetate
binding affinity, rabbit uterine cytosol, 163
Estrone,3-β-D-glucopyranosiduronate
biosynthesis of, 545
Estrone,3-methyl ether, 163
attempt to quantize, 199
Estrone-3-sulfate
metabolism by the hen in vivo, 637
in rabbit metabolism, 783
17α-Ethynyl steroids
isolation of, by column chromatography on silver impregnated florisil, 467
17α-Ethynyl-19-norsteroids
effects of, on in vitro estrogen metabolism in rat liver, 189
17α-Ethynylestradiol, metabolism by the rabbit, 809
as a urinary metabolite, in women, of mestranol (the 3-methyl ether), 539
17α-Ethynylestradiol 3-methyl ether, metabolism by women, 539
Etiocholanolone
see 5β-androstan-3α-ol-17-one
Exhaustive methylation
of certain estrogens and conjugates, 559

Fast violet salt B
use of, in the quantitation of estrogens by diazotization, 199
Fetal adrenal
effect of adrenocorticosterone on, 59
Fluorimetric assay
of estrogens, fractionated estimation, 101
Fluorimetry
the use of fluorimetry in the automated assay of Ittrich's total estrogens in the urine of pregnant women, 719
3β-Fluoro-5α-hydroxy steroids
reactions of, 51
Westphalen rearrangement, 51
Formylation of 17-oxosteroids
for measurement by gas-liquid chromatography, 429

Girard separation
of androsta-4,16-dien-3-one, 29
3-Glucosyl-11-deoxojervine, a veratrum teratogenic alkaloid
identification of, 579
Glutathione, S-(estra-1,3,5(10)-triene-2,3,17β-triol-4-(or 1)-yl)
synthesis of, 711

Gona-1,3,5(10)-triene-3-methoxy-17-one
in kober reaction, 693
Gona-1,3,5(10)-triene-3,17β-diol
in kober reaction, 693
Gorgosterol
from sterol mixture from palythoa tuberculosa, 343
Guinea-pigs, fetal adrenal nomogenates
metabolism of progesterone and pregn-5-en-3β-ol-20-one by, 589

Hapten-radioimmunoassay, method for steroids
a general procedure for the estimation of steroidal and other haptenic substances, 731
Hen
estrone-3-sulfate metabolism in, 637
Heptafluorobutyrates, steroidal
physico-chemical properties, 739
Hexestrol
binding affinity, rabbit uterine cytosol, 163
D-Homosteroids, ring expansion to
through chlorination of a 20β-hydroxypregnane, 451
Hydrolysis rates of steroid glucosiduronates in urine
study performed using gas-liquid chromatography, 429
18-Hydroxyandrosterone
see 5α-androstane-3α,18-diol-17-one
17β-Hydroxy-C18-steroid oxidoreductase, occurrence in sheep fetal blood, 763
6β-Hydroxycortisol
see pregn-4-ene-6β,11β,17α,21-tetraol-3,20-dione
21-Hydroxylase (steroid)
location of, in smooth-surfaced microsomes of adrenals, 356
16α-Hydroxylated steroids
microbiological synthesis of radioisotopically labeled 16α-hydroxylated steroids, 179
20-Hydroxylated steroids
reactions of with bovine adrenal tissue preparations, 399
Hydroxylation
of testosterone by rat liver microsomes, 327
Δ^5-3β-Hydroxysteroid dehydrogenase
location of, in smooth-surfaced microsomes of adrenals, 357

Incubation with streptomyces roseochromogenes
for 16α-hydroxylation of androst-5-ene-3β,19-diol-17-one, 793
Incubation with rat liver microsomes
for 16α-hydroxylation of androst-5-ene-3β,19-diol-17-one, 793
Induced derepression
a concept proposed to explain how nuclear transformation of 4S to a 5S estradiol-protein complex might initiate uterine growth, 417

Infrared spectrometry
of steroidal heptafluorobutyrates, 739
Insect
sterol sulfates, 605
Intrauterine fetal death
ACTH effect on the urinary estrogens in pregnancy, 59
Isolation of 17α-ethynyl steroids by column chromatography on silver impregnated florisil, 467
Isotopic labels
acetic anhydride-^{3}H, 835
androst-4-ene-3,17-dione-4-^{14}C, 835
androst-5-en-3β-ol-17-one-4-^{14}C, 821
androst-5-en-3β-ol-17-one, 4-C^{14}-3-sulfate, 143
androst-5-en-17-one-4-^{14}C, 213
androst-5-en-17-one-3β-yl sulfate-7α-^{3}H, 213
certain ^{14}C estrogen conjugates, 559
cholesterol-4-^{14}C, 605
cholest-5-ene-3β,20α-diol-22-$^{2}H_2$, 399
cholest-5-ene-3β,20-diol-7-^{3}H, 399
cholest-5-ene-3β,20-diol-22-$^{2}H_2$-7-^{3}H, 399
cortisol-1,2-^{3}H, 529
deoxycorticosterone-1,2-^{3}H, 399
deoxycorticosterone-4-^{14}C, 457
17β-estradiol-4-^{14}C, 545
17β-estradiol-4-^{14}C, 679
17β-estradiol-4-^{14}C, 763
17β-estradiol-6,7-^{3}H, 311
17β-estradiol-6,7-^{3}H, 69
17β-estradiol-6,7-^{3}H, 163
17β-estradiol-6,7-^{3}H, 189
17β-estradiol-^{3}H [and others], 467
17β-estradiol-17-glucodiouronate-6,7-^{3}H, 679
estra-1,3,5(10)-trien-17α-ethynyl-3,17-diol, ^{14}C in the ethynyl side chain, 467
estriol-4-^{14}C, 651
estriol-15-^{3}H, 483
estriol-3,16-diglucosiduronate-3-^{14}C, 257
estriol-3,16-diglucosiduronate-6,7-^{3}H, 257
estrone-4-^{14}C, 763
estrone-6,7-^{3}H, 69
estrone-6,7-^{3}H, 467
estrone-^{3}H-sulfate-^{35}S, 783
estrone-3-sulfate-6,7-^{3}H, 637
sodium estrone-3-sulfate-^{35}S, 637
17α-ethynylestradiol 3-(^{14}C-methyl) ether, 809

Isotopic labels (continued)
17α-ethynylestradiol-6,7-^{3}H 3-methyl ether, 809
17α-ethynylestradiol,3-methyl ether-6,7-^{3}H mestranol-6,7-^{3}11), 539
pregn-4-en-16α-ol-3,17-dione-4-^{14}C, 179
pregn-5-en-3β-ol-20-one-7α-^{3}H, 179
pregn-5-en-3β-ol-20-one-7-^{3}H, 399
pregn-5-en-3β-ol-20-one-7-^{3}H, 589
pregn-5-ene-3β,16α-diol-20-one-7α-^{3}H, 179
pregn-5-en-20-ethyl-3β,20α-diol-7-^{3}H, 399
pregn-5-ene-20-methyl-3β,20-diol-7-^{3}H, 399
progesterone-4-^{14}C, 179
progesterone-4-^{14}C, 589
progesterone-7-^{3}H, 399
testosterone-1,2-^{3}H, 83
testosterone-1,2-^{3}H, 227
testosterone-4-^{14}C, 227
testosterone-4-^{14}C, 835
testosterone-?-^{3}H, 495
testosterone-7α-^{3}H-glucuronide, 143
Ittrich's total estrogens
the use of fluorimetry in the automated assay of Ittrich's total estrogens in the urine of pregnant women, 719

Jervine, 3-glucosyl-11-deoxo
a veratrum teratogenin alkaloid, identification of, 579

17-Ketosteroids
microbial formation of, from sapogenins, 623
Kober reaction
specificity and mechanism of, 693
table of absorption maxima and molecular extinction coefficients obtained from certain estrogens, 559
Kober-Ittrich reaction
in estrogen estimation, from pregnancy urine, 101

Liver microsomes
rat, metabolism of testosterone and pentobarbital by, 327

Mass spectrometry
coupled with gas-liquid chromatography of androst-5-en-3α-ol-17-one, TMS ether, 121
coupled with gas-liquid chromatography, of cortisol, cortisone, and related compounds, 507
coupled with gas-liquid chromatography for determination of stereochemistry at C-5 of 3,6-dioxygenated steroids, 133

Mass spectrometry (continued)
coupled with gas-liquid chromatography in the identification of 5α-androstane-3α, 18-diol-17-one from bile, 615
determination of stereochemistry at C-5 of some 3,6-dioxosteroids, 133
elucidation of marine sterols, 343
identification of an isomer of methyl 5α-androstan-3,6-diol-17β-carboxylate from rabbit urine, 133
identification of sterols from insect meconium, 605
of steroidal heptafluorobutyrates, 739
Meconium
of the tobacco hornworm, isolation of sterol sulfates from, 605
Mestranol
metabolism by the rabbit, 809
metabolism by women, 539
Metabolism
by adrenal homogenates of fetal guinea-pigs and other mammalian fetuses', of pregn-5-en-3β-ol-20-one and progesterone, 589
2-Methyl-1,2-bis (3-pyridyl)-1-propanol (reduced metopirone), effects on corticosteroidogenesis, 457
24-Methylenecholesterol
see cholesta-5,24(28)-diene-24-methylen-3β-ol
Methyl oximes
gas-liquid chromatography of, 29
O-Methyloxime derivatives
of some 3,6-dioxosteroids, gas-liquid chromatography and mass spectrometry of, 133
Microbiological synthesis
radioisotopically labeled 16α-hydroxylated steroids, 179
Microsomal extract
rabbit diaries, metabolism of androst-5-en-3β-ol-17-one and androst-5-en-17-one, 213
Microsomes, liver
rat, metabolism of testosterone and pentobarbital by, 327

Neoglycogenitic activity
of a new series of [16α,17α-d]-oxazolino analogs of corticosteroids, 365
Neonatal injection
of estradiol benzoate, effect of on testosterone plasma levels in rats, 21
Neutral C_{19} steroids and steroid sulfates
in human pregnancy, 835
Nuclear magnetic resonance
of some 3β-fluoro-5α-hydroxy-6β-substituted steroids and their Westphalen rearrangement products, 51
of steroidal heptafluorobutyrates, 739
Nomenclature
UPAC-IUB revised tentative rules for nomenclature of steroids, 277

Norethindrone
effects of, on in vitro estrogen metabolism, 189
A-Nor steroids
having a tertiary hydroxyl group allylic to an exocyclic methylene, 11
A-Nor steroids, novel
synthesis and stereochemistry of, 11

DL-Octadecane-2-amino-1-ol, 163
Optical rotary dispersion
of steroidal heptafluorobutyrates, 739
Optical rotation
of steroidal heptafluorobutyrates, 739
[17α,16α-d] -oxazoline corticoid analogs
synthesis of, 383
Oxazoline corticosteroids
see listing under the basic steroid
Oxazoline ring - containing steroids
action of, on mineral-corticoid activity, 365
[17α,16α-d] -oxazolino corticoids analogs, pharmacology of, 365
Oxidation
of pentobarbital by rat liver microsomes, 327
Oxidative lactonization
of steroidal 20-oxo-16α-ylacetic acids, 627
16-Oxoestradiol
see estra-1,3,5(10)-triene-3,17β-diol-16-one

Palysterol
as a name for a sterol mixture from palythoa tuberculosa, 343
Pentobarbital
metabolism by rat liver microsomes, effect of age, sex, castration on, 327
Peripheral plasma
of adult men, androsta-4,16-dien-3-one in, 29
Peripheral testosterone plasma level
effect of estradiol benzoate on (neonatal injection), 11
in 240 day old rat, determination by competitive protein binding, 21
Phenolic steroids, metabolism in human subjects, 257
Plasma concentration of testosterone
determination of, 83
Plasma 17β-estradiol, free
measurement of, by competitive protein-binding radioassay, 69
Plasma, peripheral
of adult men, androsta-4,16-dien-3-one in, 29
Plasma testosterone
assay method for, in biological fluids, based on competitive protein binding, 495

Pregna-1,4-diene-6α-methyl-9α-fluoro-11β,17α-diol-3,20-dione 17-acetate, 163
Pregna-1,4-diene-9α-bromo-11β-ol-3,20-dione [17α,16α-d] -21-methyloxazoline
synthesis of, 383
Pregna-1,4-diene-9α-bromo-11β,21-diol-3,20-dione-[17α,16α-d] -oxazolines
21-acetates, 383
[certain 21-substituents on oxazoline ring] synthesis of, 383
Pregna-1,4-diene-9α-fluoro-11β-ol-3,20-dione-[17α,16α-d] -21-methyloxazoline
synthesis of, 383
Pregna-1,4-diene-9-fluoro-11β,17α, 21-triol-3,20-dione, 163
Pregna-1,4-diene-9α-fluoro-11β,21-diol-3,20-dione-[17α,16α-d] -oxazolines
[certain 21-substituents on the oxazoline ring] synthesis of, 383
Pregna-1,4-diene-9α-fluoro-16α-methyl-11β,17α,21-triol-3,20-dione
[dexamethasone], 83
Pregna-1,4-diene-9α-fluoro-16β-methyl-11β,17α,21-triol-3,20-dione (betamethasone)
gas chromatography, mass spectrometry of, 507
Pregna-1,4-diene-9α-fluoro-17α-amino-11β,21-diol-3,20-dione hydrochloride
synthesis of, 383
Pregna-1,4-diene-9α,11β-dichloro-3,20-dione-[17α,16α-d]-21-methyloxazoline
synthesis of, 383
Pregna-1,4-diene-9α,11β-dichlor-21-ol-3,20-dione-[17α,16α-d] -oxazolines
21-acetate, 383
[certain 21-substuents on the oxazoline ring] synthesis of, 383
Pregna-1,4-dien-9β,11β-epoxy-3,20-dione-[17α,16α-d] -21-methyl-oxazoline
synthesis of, 383
Pregna-1,4-dien-9β,11β-epoxy-21-ol-3,20-dione-[17α,16α-d] -oxazolines, 383
[certain 21-substituents on the oxazoline ring] synthesis of, 383
Pregna-1,4-dien-11β-ol-3,20-dione-[17α,16α-d] -21-methyloxazoline
synthesis of, 383
Pregna-1,4-diene-11β,17α,21-triol-3,20-dione
17α,16α-d -21-methyl-oxazolino analog, 365
neoglycogenitic and anti-inflammatory activity, 365
Pregna-1,4-diene-11β,21-diol-3,20-dione-[17α,16α-d] -oxazolines 21- acetates
[certain 21-substituents on the oxazoline ring] synthesis of, 383
Pregna-3,5-diene-3-heptafluorobutoxy-20-one
preparation and physical constants, 739
Pregna-3,5-diene-3,21-bis(heptafluorobutoxy)-20-one
preparation and physical constants, 739
Pregna-4,6-diene-6-methyl-16-methylene-17α-ol acetate, 163
Pregna-5,16-dien-3β-ol-20-one 3-acetate,
Pregna-5,16-dien-3β-ol-20-one 3- acetate, 627
Pregnancy
effect of alcohol on plasma steroid sulfates, 671
method for fractionated estimation of estrogens, 101
Pregnancy and labor
protein binding of progesterone in the peripheral plasma during, 773

5α-Pregnan-3β-ol
synthesis of, from the 20α-chloride or from the 20β-chloride, 451
5α-Pregnan-3β-ol-11,20-dione-[17α,16α-d]-21-n-butyloxazoline, 383
_____, 3-valerate
synthesis of, 383
5α-Pregnan-3β-ol-11,20-dione-[17α,16α-d]-21-butyloxazoline 3-valerate 20-semicarbazone and $NaBH_4$ reduction product
synthesis of, 383
5α-Pregnan-3β-ol-11,20-dion-[17α,16α-d]-oxazoline, 3-formate
synthesis of, 383
5α-Pregnan-3β-ol-11,20-dion-[17α,16α-d]-oxazoline 20-ethyleneketal and $NaBH_4$ reduction product
synthesis of, 383
5α-Pregnan-3β-ol-11,20-dione-[17α,16α-d]-21-phenyloxazoline 3-benzoate
synthesis of, 383
5α-Pregnan-3β-ol-11,20-dione-[17α,16α-d]-21-phenyloxazoline 3-benzoate 20-semicarbazone and $NaBH_4$ reduction product
synthesis of, 383
5α-Pregnane-3,6-20-trione, tris-o-methyl-oxime
mass spectrometry and gas-liquid chromatography of, 133
5α-Pregnane-3β,11β-diol-20-one-[17α,16α-d]-oxazolines 3-acetates
certain 21 substituents on the oxazoline ring synthesis of, 383
5α-Pregnane-3β,11β-diol-20-one-[17α,16α-d]-oxazoline, 383
21-nbutyloxazoline
21-phenyloxazoline
synthesis of, 383
5α-Pregnane-3α,11β,17α,20α,21-pentol
GLC of, 429
5α-Pregnane-3α,11β,17α,20β,21-pentol
GLC of, 429
5α-Pregnane-3α,11β,17α,21-tetrol-20-one
GLC of, 429
5α-Pregnane-3α,17α,20α,21-tetrol-11-one
GLC of, 429
5α-Pregnane-3α,17α,20β,21-tetrol-11-one
GLC of, 429
5α-Pregnane-3α,17α,21-triol-11,20-dione
GLE of, 429
5α-Pregnane-17α-benzamido-3β,16α-diol-11,20-dione 3-benzoate
synthesis of, 383
5α-Pregnane-17α-formamido-3β,16α-diol-11,20-dione 3-formate
synthesis of, 383
5α-Pregnan-17α-amino-3β,11β,16α-triol-20-one hydrochloride
synthesis of, 383

5α-Pregnan-17α-azido-3β,16α-diol-11,20-dione
3,16-diformate
3,16-divalerate
3,16-dibenzoate
synthesis of, 383
5α-Pregnane-20α-chlor-3β-ol
synthesis of, 451
5α-Pregnane-20β-chlor-3β-ol
synthesis of, 451
5α-Pregnane-20α-chlor-3β-ol, 3-acetate
synthesis of, 451
5α-Pregnane-20β-chlor-3β-ol, 3-acetate
synthesis of, 451
5β-Pregnane-3α,20α-diol
in displacement of plasma bound testosterone, 495
GLC of, 429
5β-Pregnane-3α,20α-bis(heptafluorobutyrate)
preparation and physical constants, 739
5β-Pregnane-3,20-dione
attempt to quantize, 199
5β-Pregnane-3,6,20-trione, tris-o-methyl-oxime
mass spectrometry and gas-liquid chromatography of, 133
5β-Pregnane-3α,11β,17α,20α,21-pentol
GLC of, 429
5β-Pregnane-3α,11β,17α,20β, 21-pentol
GLC of, 429
5β-Pregnane-3α,11β,17α,21-tetrol-20-one ("tetrahydrocortisol")
GLC of, 429
5β-Pregnane-3α,17α,20α-triol
GLC of, 429
5β-Pregnane-3α,17α,21-triol-11,20-dione ("tetrahydrocortisone")
GLC of, 429
5β-Pregnane-3α,17α,20α,21-tetrol-11-one
GLC of, 429
5β-Pregnane-3α,17α,20β,21-tetrol-11-one
GLC of, 429
19-Nor-17α-Pregna-1,3,5(10)-trien-20-yne-3,17-diol
binding affinity, rabbit uterine cytosol, 163
19-Nor-17β-Pregna-1,3,5(10)-trien-20-yn-3,17α-diol 3 methyl ether
binding affintiy, rabbit uterine cytosol, 163
Pregna-1,4,9(11)-trien-20-one- 17α,16α-d -21-methyloxazoline
synthesis of, 383
Pregna-1,4,9(11)-trien-21-ol-20-one-[17α,16α-d]-oxazolines 21-acetate
[certain 21-substituents on the oxazoline ring] synthesis of, 383
Pregn-4-ene-6α-fluoro-3,20-dione, 163

Pregna-4-ene-6α-fluoro-17α-ol-3,20-dione acetate, 163
Pregn-4-ene-6α-methyl-17α-ol-3,20-dione acetate, 163
Pregn-4-ene-6β,11β,17α,20α,21-pentol-3-one
in human metabolism, 529
Pregn-4-ene-6β,11β,17α,20β,21-pentol-3-one
formation from pregn-4-ene-6β,11β,17α,21-tetraol-3,20-dione, in human metabolism, 529
Pregn-4-ene-6β,11β,17α,21-tetrol-3,20-dione
estimation of amount: comparison of gas-liquid chromatographic and colorimetric methods, 247
metabolism in man, 529
Pregn-4-ene-6β,17α,21-triol-3,11,20-trione
in human metabolism, 529
17α-Pregn-4-en-7α-acetylthio-21,17β-carbolacton-3-one
antagonism to digitalis, 803
Pregn-4-en-11α-ol-3,20-dione, 163
Pregn-4-ene-11β,17α,20α,21-tetraol-3-one
in human metabolism, 529
Pregn-4-ene-11β,17α,20β,21-tetraol-3-one
in human metabolism, 529
Pregn-4-ene-11β,17α,21-triol-3,20-dione
[17α,16α-d]-21-methyloxazolino analog
neoglycogenitic and anti-inflammatory activity, 365
Pregn-4-en-17α-ol-3,20-dione, 83
in displacement of plasma bound testosterone, 495
Pregn-4-en-17α-ol-3,20-dion-16α-yl-acetic acid α-lactone, 627
Pregn-4-ene-17α,21-diol-3,20-dione
in displacement of plasma bound testosterone, 495
GLC of, 429
Pregn-4-ene-18,21-diol-3,20-dione
synthesis of, in rat adrenals, enhancement of, by reduced metopirone, 457
Pregn-4-en-20-ethyl-20-ol-3-one, 399
Pregn-4-ene-20-methyl-20-ol-3-one, 399
Pregn-4-en-20α-ol-3-one
in displacement of plasma bound testosterone, 495
Pregn-4-en-21-acetoxy-3,20-dione
[17α,16α-d]-21-methyl-oxazolino analog
neoglycogenitic and anti-inflammatory activity, 365
Pregn-4-en-21-ol-3, 20-dione
indisplacement of plasma bound testosterone, 495
Pregn-5-en-3β-acetoxy-17α-ol-20-on-16α-ylacetic acid lactone, 627
Methyl Pregn-5-en-3β-acetoxy-2-on-16α-ylacetate, 627
Pregn-5-en-3β-ol-20-one
in displacement of plasma bound testosterone, 495
gas-liquid chromatography - mass spectrometry, 121

Pregn-5-en-3β-ol-20-one
metabolism of, by adrenal homogenates of fetal guinea-pigs and other mammalian fetuses, 589
Pregn-5-en-3β-ol-20-one-3-sulfate
column partition chromatography of, as triethylammonium salt, 477
Pregn-5-en-3β-ol-20-on-16α-yl-acetic acid, 627
Pregn-5-en-3β-ol-20-on-16α-yl-malonic acid, 627
Pregn-5-en-3β,16α-diol-20-one
isolation from urine, 519
Pregn-5-en-3β,16α,20α-triol
isolation from urine, 519
Pregn-5-ene-3β,17α-diol-20-on-16α-ylacetic acid lactone, 627
Pregn-5-ene-3β,17β-diol-20-one-3-sulfate
column partition chromatography of, as triethylammonium salt, 477
Pregn-5-ene-3β,20α-diol-3-sulfate
column partition chromatography of, as triethylammonium salt, 477
Pregn-5-ene-20-methyl-3,20-diol
rate of conversion to pregn-5-en-3β-ol-20-one by bovine adrenal tissue, 399
Pregn-5-en-20-ethyl-3,20-diol
rate of conversion to pregn-5-en-3β-ol-20-one by bovine adrenal tissue, 399
5α-Pregn-9(11)-en-3β-ol-20-one-[17α,16α-d]-oxazonines
[certain 21 substituents on the oxazoline ring] synthesis of, 383
5α-Pregn-9(11)-en-3β-ol-20-one-
[17α,16α-d]-oxazolines 3-acetate
[certain 21-substituents on the oxazoline ring] synthesis of, 383
5α-Pregn-9(11)-ene-3β,21-diol-20-one-[17α,16α-d]-oxazolines 21-acetates
[certain 21-substituents on the oxazoline ring] synthesis of, 383
5α-Pregn-9(11)-ene-3,20-dione-[17α,16α-d]-21-methyloxazoline
synthesis of, 383
5α-Pregn-9(11)-en-21-ol-3,20-dione-[17α,16α-d]-oxazolines 21-acetates
[certain 21-substituents on the oxazoline ring] synthesis of, 383
5α-Pregn-20-en-3β-ol
_____, 3-acetate
synthesis of, 451
Proestrogens, antiestrogens and estrogens, 725
Progesterone
attempt to quantize, 199
in displacement of plasma bound testosterone, 495
metabolism of, by adrenal homogenates of fetal guinea-pigs and other mammalian fetuses, 589
protein binding of, in the peripheral plasma, during pregnancy and labor, 773
reduction, in sheep, by 17β-hydroxy-C18-steroid-oxidoreductase, 763
Progestins, synthetic, 467
Protein binding, competitive
assay method for testosterone in biological fluids, based on, 495

Protein binding of progesterone
in peripheral plasma during pregnancy and labor, 773

Quantitation of estrogens, 199

Rabbit
formation by, of N-acetyl-glucosaminides of steroid phenolic sulfates, 783
Rabbit ovaries
microsomal extract, metabolism of androst-5-en-3β-ol-17-one and androst-5-en-17-one, 213
Radioassay
competitive protein binding, of 17β-estradiol, in plasma, 69
Radioimmunoassay
method for estradiol, 731
Rat
testosterone plasma level, effect of estradiol benzoate, 21
Rat liver microsomes
for 16α-hydroxylation of androst-5-ene-3β,19-diol-17-one, 793
studies on testosterone hydroxylation and pentobarbital oxidation by, 327
Receptor binding capacity, 8S
depletion of, during estradiol uptake, in rat uterine tissue, 417
Receptor capacity, 8S
for estradiol, in rat uterine tissue, 417
20β-Reduction of pregn-4-ene-6β,11β,17α,21-tetraol-3,20-dione ("6β-hydroxycortisol")
in human metabolism, 529

Sapogenins
degradation of, to androsta-1,4-diene-3,17-dione, 623
degradation of, by mycobacterium phlei, 623
Scintillation fluid
2 parts toluene containing p-diphenylbenzene (0.3%), 1,4-bis-2-(5-phenyl-oxozolyl)-benzene (0.o1%), 69
1 part triton x-100, 69
Seminal vesicles
inhibition of androgen effect on, by phenobarbital or chlordane, 155
Sheep fetal blood
presence of a 17β-hydroxy-C18-steroid-oxidoreductase in, 763
Silation reagents
for 17α,21-diol-20-oxo-steroids, 507
for 11β,17α,21-triol-20-oxo-steroids, 507
used in gas-liquid chromatography and mass spectrometry, 507
Siliconides
cyclic silyl derivatives of certain 17α,21-diol-20-oxo-steroids, for gas-liquid chromatography and mass spectrometry, 507

Silyl derivatives, new
of cortisone, cortisol, and related compounds, for gas-liquid chromatography and mass spectrometry, 507
β-Sitosterol
see cholest-5-ene-(24R)-24-ethyl-3β-ol
Spironolactone
see 17α-pregn-4-en-7α-acetyltnid-21,17β-carbolacton-3-one
(25R)-Spirosta-1,4-dien-3-one
from degradation of diosgenin by mycobacterium phlei, 623
(25R)-5α-Spirostan-3β-ol (tigogenin)
degradation of, by mycobacterium phlei, 623
(25S)-5α-Spirostan-3β-ol (nedtigogenin)
degradation of, by mycobacterium phlei, 623
(25R)-5β-Spirostan-3β-ol (smilagenin)
degradation of, by mycobacterium phlei, 623
(25S)-5β-Spirostan-3β-ol (sarsasapogenin)
degradation of, by mycobacterium phlei, 623
(25R)-Spirost-4-en-3-one
from degradation of diosgenin by mycobacterium phlei, 623
(25R)-Spirost-5-en-3β-ol
see diosgenin
Stein-leventhal syndrome
urinary testosterone, 143
Stereochemistry
at C-5, of some 3,6-dioxosteroids by gas-liquid chromatography and mass spectrometry, 133
of some novel A-nor steroids, 11
Steroid anesthesia
(effects of progesterone deoxycorticosterone, and hydroxydione) prevented by spironolactone, 803
Steroid glucosiovronates in urine
rates of hydrolysis with β-glucuronidase, 429
Steroid-21-hydroxylase
location of, in smooth-surfaced microsomes of adrenals, 357
C_{19}-Steroids, neutral
in human pregnancy, 835
Steroid nomenclature
IUPAC-IUB revised tentative rules for nomenclature of steroids, 277
Steroid sulfates
chromatography as the triethyl-ammonium salts on celite columns, 477
in human pregnancy, 835
in pregnancy, effect of alcohol, 671
Steroidal chloromethyldimethylsilyl ethers
gas-liquid chromatography of, 29

Steroidal hormones
effect of, on the binding of 17β-estradiol by the mouse uterus and vagina, 311
Steroidal methyl oximes
gas-liquid chromatography of, 29
Steroidal 20-oxo-16α-ylacetic acids
unexpected lactonization upon treatment with copper chromium oxide, 627
Sterol sulfates
isolation of, from insect sources, 605
Stork ring-closure of acetylenic ketones
in the synthesis of some novel A-nor steroids, 11
Streptomyces roseochromogenes
for 16α-hydroxylation of androst-5-ene-3β,19-diol-17-one, 793
Subfractionation of adrenal microsomes, 357
Sulfates, steroid
chromatography as the triethyl-ammonium salts on celite columns, 477
Synthesis
of 16α,17α-d -oxazoline analogs of certain corticosteroids, 383
Synthesis, organic
of some novel A-nor steroids, 11
Synthetic progestins, 467

Teratogenic steroidal alkaloids, 579
Testosterone
determination of plasma concentration, 83
identification in human cord plasma at term, 835
as an inhibitor of estradiol binding to target organs: mouse uterus and vagina, 311
metabolism by rat liver microsomes, effects of age, sex, castration and testosterone propionate treatment on, 327
paper chromatography of, 83
Testosterone glucuronide synthesis
in vivo, from androst-5-en-3β-ol-17-one, 3-sulfate
in normal male and female, 143
in stein-leventhal syndrome, 143
in ovariectomized patients, 143
in one virilized patient, 143
Testosterone, plasma
assay methda for, in biological fluids, based on competitive protein bindings, 495
Testosterone, urinary
double isotope measurement vs. protein binding, 227
Tetrahydrocortisol, 101
Tetrahydrocortisone, 101

Triethylammonium derivatives of steroidal sulfates
description of the procedure for converting various cationic salts of steroids into the corresponding triethylammonium derivatives, 472
Trimethylsilyl ethers
of marine sterols, 343
Trimethylsilyl ether
and mass spectrometry, of 5α-androstane-3α,18-diol-17-one, 615
Twins
ACTH effect on the urinary estrogens in pregnancy, 59

Ultraviolet spectrometry
of steroidal heptafluorobutyrates, 739
Unknown steroid
from Westphalen rearrangement of 5α-cholestane-3β-fluor-5-ol, 51
from Westphalen rearrangement of 5α-cholestane-3β,6β-difluoro-5-ol, 51
Urinary
metabolites of 17β-estradiol-17-glucosiduronate, 679
Urinary testosterone
double isotope measurement vs. protein binding, 227
Uterine cytosol, rabbit
comparative binding affinity of estrogens, 163

Veratrum alkaloids
structure of teratogens, 579
Vitamin D_3, 25-hydroxy, 567

Westphalen rearrangement
of 3β-fluoro-5α-hydroxy steroids, 51

Zoanthid sterols, 343

QP752
.S5H7
no.3